

Certificate of Constancy of performance**0432 – CPR -00007-05**

Version 01

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

locks
„OneSystem Standard Commercial“
Wide-Style

locks für single leaf doors
as detailed and classified on annex 2,

produced by or for

ASSA ABLOY Sicherheitstechnik GmbH
Bildstockstraße 20
D-72458 Albstadt

and produced in the manufacturing plant(s)

see annex 1

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in annex ZA of the standard(s)

EN 12209 :2003 (D) + EN 12209 :2003/AC :2005 (D)

under system 1 are applied and that

the product fulfils (products fulfil) all the prescribed requirements set out above

This certificate was first issued on 22.09.2014 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, or latest on 22.09.2019.

Dortmund, 10.02.2015


Dip.-Ing. H. Jansen
Leiter der Fachzertifizierungsstelle

This Certificate consists of 1 page and 2 annexes.

The original of this document was issued in German language. In case of doubt only the
German version is valid.



**Locks EN 12209 „OneSystem Standard Commercial“
Wide-Style****Manufacturing plants**

product	manufacturing plant
locks	ASSA ABLOY Romania S.R.L. B-dul Precizei nr.5, sector 6 06202 Bucharest Romania





Materialprüfungsamt Nordrhein-Westfalen

Prüfen · Überwachen · Zertifizieren

Locks EN 12209 „OneSystem Standard Commercial“ Wide-Style

locks

No.	Item No.	Vs- Typ	Backset	entrax	Forend width	classification										
1	N1050	B	50 to 100 mm	72 mm PZ 74 mm RZ	≥ 20 mm	3	S	9*	1	0	C	2	H	A	2	0

* door mass max. 300 kg

VS-type A: lock for a single or a double leaf door: active or inactive leaf.
 B: lock for a single leaf door.
 C: lock for a double leaf door: only inactive leaf.

